





Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map



State: **South Dakota**
 County: **Roberts**
 Location: **15-122N-50W**
 Township: **Springdale**
 Acres: **137.02**
 Date: **11/4/2013**



Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.



Maps provided by:
surety
 ©AgriData, Inc 2013
 www.AgriDataInc.com

| Code | Soil Description | Acres | Percent of field | Non-Irr Class | Productivity Index | Corn | Soybeans |
|------------------|--|-------|------------------|---------------|--------------------|------|----------|
| Pk | Peever-Tonka complex | 74.53 | 54.4% | IIIw | 70 | 70 | 26 |
| PeA | Peever clay loam, 0 to 2 percent slopes | 49.75 | 36.3% | IIIs | 71 | 76 | 28 |
| PeC | Peever clay loam, 6 to 9 percent slopes | 9.66 | 7.1% | IIIe | 56 | 53 | 20 |
| HdD | Hattie clay loam, 9 to 15 percent slopes | 3.08 | 2.2% | IVe | 48 | 30 | 10 |
| Weighted Average | | | | | 68.9 | 70.1 | 25.9 |

Soils Map



State: **South Dakota**
 County: **Roberts**
 Location: **15-122N-50W**
 Township: **Springdale**
 Acres: **321.44**
 Date: **11/4/2013**

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.





Maps provided by:

 ©AgriData, Inc 2013
 www.AgrIDataInc.com

| Code | Soil Description | Acres | Percent of field | Non-Irr Class | Productivity Index | Corn | Soybeans |
|------------------|---|-------|------------------|---------------|--------------------|------|----------|
| Pk | Peever-Tonka complex | 84.07 | 26.2% | IIIw | 70 | 70 | 26 |
| PeA | Peever clay loam, 0 to 2 percent slopes | 65.17 | 20.3% | IIIs | 71 | 76 | 28 |
| PeB | Peever clay loam, 2 to 6 percent slopes | 58.48 | 18.2% | IIIe | 66 | 67 | 25 |
| HdD | Hattie clay loam, 9 to 15 percent slopes | 37.90 | 11.8% | IVe | 48 | 30 | 10 |
| PeC | Peever clay loam, 6 to 9 percent slopes | 34.20 | 10.6% | IIIe | 56 | 53 | 20 |
| Lt | Lamoure silty clay loam, channeled | 33.28 | 10.4% | VIw | 35 | 35 | 11 |
| FuD | Forman-Buse loams, 9 to 15 percent slopes, eroded | 4.20 | 1.3% | Ve | 49 | 41 | 15 |
| HdE | Hattie clay loam, 15 to 40 percent slopes | 3.55 | 1.1% | VIIe | 27 | 14 | 5 |
| RtB | Rentill loam, 2 to 6 percent slopes | 0.59 | 0.2% | IIIe | 43 | 40 | 15 |
| Weighted Average | | | | | 61 | 59.5 | 21.7 |

Soils Map



State: **South Dakota**
 County: **Roberts**
 Location: **15-122N-50W**
 Township: **Springdale**
 Acres: **84.75**
 Date: **11/4/2013**

Field borders provided by Farm Service Agency as of 5/21/2008.
 Soils data provided by USDA and NRCS.



Maps provided by:
surety
 ©AgriData, Inc 2013
 www.AgriDataInc.com

| Code | Soil Description | Acres | Percent of field | Non-Irr Class | Productivity Index | Corn | Soybeans |
|------------------|--|-------|------------------|---------------|--------------------|------|----------|
| PeB | Peever clay loam, 2 to 6 percent slopes | 44.14 | 52.1% | IIIe | 66 | 67 | 25 |
| PeC | Peever clay loam, 6 to 9 percent slopes | 17.53 | 20.7% | IIIe | 56 | 53 | 20 |
| HdD | Hattie clay loam, 9 to 15 percent slopes | 12.30 | 14.5% | IVe | 48 | 30 | 10 |
| Pk | Peever-Tonka complex | 5.91 | 7.0% | IIIw | 70 | 70 | 26 |
| PeA | Peever clay loam, 0 to 2 percent slopes | 3.80 | 4.5% | IIIs | 71 | 76 | 28 |
| Lt | Lamoure silty clay loam, channeled | 1.07 | 1.3% | VIw | 35 | 35 | 11 |
| Weighted Average | | | | | 61.4 | 58.9 | 21.8 |

